

UNITED STATES PATENT APPLICATION

of

Neil R. N. Enns

and

John Ian Ferrell

for

**USING A MOBILE DEVICE TO COMPOSE AN
ELECTRONIC MESSAGE THAT INCLUDES AUDIO CONTENT**

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

BACKGROUND OF THE INVENTION

1. Related Applications

This application claims the benefit of U.S. Provisional Application No. 60/239,367, entitled, "INSERT VOICE ATTACHMENT IN A MAIL MESSAGE ON A MOBILE DEVICE," filed October 11, 2000, which is hereby incorporated by reference.

2. The Field of the Invention

The present invention relates to electronic messages and mobile devices. More specifically, the present invention relates to methods, systems, and computer program products for using a mobile device to compose an electronic message that includes audio content.

3. Background and Related Art

Over the past few years, email and other types of electronic messaging have become an almost indispensable form of communication. While, at least initially, email access and electronic messaging capabilities identified an organization or individual operating at the technological forefront, today the converse is true. No email access or electronic messaging suggests that an organization or individual is technologically backward. With the increasing importance of email in particular, access limited to home or office is proving to be inadequate. For example, many insist on the ability to access email remotely, such as through the World Wide Web ("Web") or some other technology. However, access generally requires the use of a desktop computer, a laptop, or personal digital assistant ("PDA"). Although many of these devices have decreased in bulk from earlier forms, they

1 remain relatively large computing devices that may not be convenient for carrying on one's
2 person at all times.

3 Like desktops, laptops, and PDAs, mobile telephones have been reduced
4 significantly in size and weight. Ever shrinking form factors and airtime costs have made
5 mobile telephones extremely popular in today's society. In spite of their small size and
6 convenience, however, mobile telephones typically have not been used for remote email
7 access. Among other reasons, the lack of complete integration with email systems may be
8 attributed to the tedious nature of entering text on a telephone keypad during the
9 composition of an email message. Figure 2 shows a typically keypad 220 for a mobile
10 telephone 200. With three or four letters assigned to eight keys, it can be a significant chore
11 to select individual letters and organize them into words. For example, multiple key presses
12 may be required for selecting a single letter. In one system, the number of times a key is
13 pressed corresponds to the position of the letters located on that key. Pressing "44 33 555
14 555 666" types the word "hello" – where spaces between numbers indicate relatively longer
15 pauses between key presses. The number of key presses and need for somewhat precise
16 timing can be quite cumbersome. Other text entry technology is available, but as a rule text
17 entry on a mobile telephone keypad is far from ideal for the typical user.

SUMMARY OF THE INVENTION

The present invention allows a user to compose an email or other electronic message by adding audio content to the message. The user selects an option for adding the audio content and then speaks into a mobile device's audio input. As used in this application, the term "mobile device" should be interpreted broadly to encompass any type of portable and/or hand-held computing device, including wireless telephones, personal digital assistants, etc. The mobile device diverts the audio stream into a temporary storage, such as a file, as it is spoken. To provide the user with visual feedback, a progress indicator shows the amount of audio content stored in relationship to the maximum amount that may be stored for a single message, based on available memory. After being added, a text indicator shows that the message includes audio content as well as the size of the recording. No particular format is required for the audio content, but a WAV file format is the default. In an email message context, the audio content is added to the message as a standard Multipurpose Internet Mail Extensions ("MIME") attachment, but the invention does not exclude other techniques. Audio content may be added to a new email, a reply to an email, in forwarding an email, etc.

One benefit to a message, as opposed to live telephone communication and voice mail, is that a message allows the intended recipient to act on the message at the recipient's convenience. For example, a user may need to provide a recipient with certain information. Over a telephone communication, the user calls the recipient and requires immediate attention. In contrast, sending an electronic message, such as an email, does not interrupt the recipient's current activities and allows for action at the recipient's convenience. This feature is particularly useful where time zone differences would otherwise prohibit calling the recipient. While it may not be proper to call the recipient at 2AM, sending a message at

1 2AM does not impose any burden on the recipient whatsoever. A similar option may not
2 exist in the telephone communication context, because to leave a voice mail, the user must
3 first call the recipient's phone number. Although less imposing, similar issues exist during
4 normal business hours when the user needs to provide the recipient information, but does not
5 want to interrupt the recipient.

6 Additional features and advantages of the invention will be set forth in the
7 description which follows, and in part will be obvious from the description, or may be
8 learned by the practice of the invention. The features and advantages of the invention may
9 be realized and obtained by means of the instruments and combinations particularly pointed
10 out in the appended claims. These and other features of the present invention will become
11 more fully apparent from the following description and appended claims, or may be learned
12 by the practice of the invention as set forth hereinafter.

BRIEF DESCRIPTION OF THE DRAWINGS

In order to describe the manner in which the above-recited and other advantages and features of the invention can be obtained, a more particular description of the invention briefly described above will be rendered by reference to specific embodiments thereof which are illustrated in the appended drawings. Understanding that these drawings depict only typical embodiments of the invention and are not therefore to be considered as limiting its scope, the invention will be described and explained with additional specificity and detail through the use of the accompanying drawings in which:

Figure 1 illustrates an exemplary system that provides a suitable operating environment for the present invention;

Figure 2 is shows several input systems for mobile telephones;

Figures 3A-3D illustrate a user interface that operates in accordance with the present invention; and

Figure 4 shows an exemplary method for using a mobile device to compose an electronic message that includes audio content.

WORKMAN, NYDEGGER & SEELEY
A PROFESSIONAL CORPORATION
ATTORNEYS AT LAW
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111

Embodiments within the scope of the present invention also include computer-readable media for carrying or having computer-executable instructions or data structures stored thereon. Such computer-readable media can be any available media that may be accessed by a general purpose or special purpose computer. By way of example, and not limitation, such computer-readable media may comprise RAM, ROM, EEPROM, flash memory, CD-ROM or other optical disk storage, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to carry or store desired program code means in the form of computer-executable instructions or data structures and which can be accessed by a general purpose or special purpose computer. When information is

1 transferred or provided over a network or another communications connection (either
2 hardwired, wireless, or a combination of hardwired or wireless) to a computer, the computer
3 properly views the connection as a computer-readable medium. Thus, any such a
4 connection is properly termed a computer-readable medium. Combinations of the above
5 should also be included within the scope of computer-readable media. Computer-executable
6 instructions comprise, for example, instructions and data which cause a general purpose
7 computer, special purpose computer, or special purpose processing device to perform a
8 certain function or group of functions.

9 Figure 1 and the following discussion are intended to provide a brief, general
10 description of a suitable computing environment in which the invention may be
11 implemented. Although not required, the invention may be described in the general context
12 of computer-executable instructions, such as program modules, being executed by
13 computers in network environments. Generally, program modules include routines,
14 programs, objects, components, data structures, etc. that perform particular tasks or
15 implement particular abstract data types. Computer-executable instructions, associated data
16 structures, and program modules represent examples of the program code means for
17 executing steps of the methods disclosed herein. The particular sequence of such executable
18 instructions or associated data structures represent examples of corresponding acts for
19 implementing the functions described in such steps.

20 With reference to Figure 1, an exemplary system for implementing the invention
21 comprises a general purpose computing device in the form of a generic computer 20,
22 including a processing unit 21, a system memory 22, and a system bus 23 that couples
23 various system components including the system memory 22 to the processing unit 21.
24 Although some components of computer 20, such as monitor 47, keyboard 40, and

1 mouse 42, may seem specific to a conventional computer, those of skill in the art will
2 recognize that analogous components may be found in other computing devices. For
3 example, wireless telephones often include an LCD or plasma display area, a numeric
4 keypad, and one or more navigation buttons. Therefore, any component described with
5 reference to generic computer 20 should be interpreted broadly to encompass analogous
6 components that are appropriate for and consistent with a particular implementation or
7 embodiment of the present invention. In some implementations, a component may be
8 connected only intermittently or may be missing entirely.

9 The system bus 23 may be any of several types of bus structures including a memory
10 bus or memory controller, a peripheral bus, and a local bus using any of a variety of bus
11 architectures. The system memory includes read only memory (ROM) 24 and random
12 access memory (RAM) 25. A basic input/output system (BIOS) 26, containing the basic
13 routines that help transfer information between elements within the computer 20, such as
14 during start-up, may be stored in ROM 24.

15 The computer 20 may also include a magnetic hard disk drive 27 for reading from
16 and writing to a magnetic hard disk 39, a magnetic disk drive 28 for reading from or writing
17 to a removable magnetic disk 29, and an optical disk drive 30 for reading from or writing to
18 removable optical disk 31 such as a CD-ROM or other optical media. The magnetic hard
19 disk drive 27, magnetic disk drive 28, and optical disk drive 30 are connected to the system
20 bus 23 by a hard disk drive interface 32, a magnetic disk drive-interface 33, and an optical
21 drive interface 34, respectively. The drives and their associated computer-readable media
22 provide nonvolatile storage of computer-executable instructions, data structures, program
23 modules and other data for the computer 20. Although the exemplary environment
24 described herein employs a magnetic hard disk 39, a removable magnetic disk 29 and a

1 removable optical disk 31, other types of computer readable media for storing data can be
2 used, including magnetic cassettes, flash memory cards, digital video disks, Bernoulli
3 cartridges, RAMs, ROMs, and the like. Note that decreasing form factors are making it
4 practical to use at least some of the foregoing components with mobile devices.
5 Furthermore, it is anticipated that future technological advances with respect to size, power
6 consumption, and the like, will lead to an increased selection of storage options.

7 Program code means comprising one or more program modules may be stored on the
8 hard disk 39, magnetic disk 29, optical disk 31, ROM 24 or RAM 25, including an operating
9 system 35, one or more application programs 36, other program modules 37, and program
10 data 38. A user may enter commands and information into the computer 20 through
11 keyboard 40, pointing device 42, or other input devices (not shown), such as a numeric
12 keypad, directional buttons, pressure-sensitive software keyboard, microphone, joy stick,
13 game pad, satellite dish, scanner, or the like. These and other input devices are often
14 connected to the processing unit 21 through a serial port interface 46 coupled to system
15 bus 23. Alternatively, the input devices may be connected by other interfaces, such as a
16 parallel port, a game port or a universal serial bus (USB). A monitor 47 or another display
17 device, such as an LCD or gas plasma display, is also connected to system bus 23 via an
18 interface, such as video adapter 48. In addition to the monitor, personal computers typically
19 include other peripheral output devices (not shown), such as speakers and printers.

20 The computer 20 may operate in a networked environment using logical connections
21 to one or more remote computers, such as remote computers 49a and 49b. Remote
22 computers 49a and 49b may each be another personal computer, a server, a router, a network
23 PC, a peer device or other common network node, and typically include many or all of the
24 elements described above relative to the computer 20, although only memory storage

1 devices 50a and 50b and their associated application programs 36a and 36b have been
2 illustrated in Figure 1. The logical connections depicted in Figure 1 include a local area
3 network (LAN) 51 and a wide area network (WAN) 52 that are presented here by way of
4 example and not limitation. Such networking environments are commonplace in office-
5 wide or enterprise-wide computer networks, intranets and the Internet.

6 When used in a LAN networking environment, the computer 20 is connected to the
7 local network 51 through a network interface or adapter 53. When used in a WAN
8 networking environment, the computer 20 may include a modem 54, a wireless link, or other
9 means for establishing communications over the wide area network 52, such as the Internet.
10 The modem 54, which may be internal or external, is connected to the system bus 23 via the
11 serial port interface 46. In a networked environment, program modules depicted relative to
12 the computer 20, or portions thereof, may be stored in the remote memory storage device. It
13 will be appreciated that the network connections shown are exemplary and other means of
14 establishing communications over wide area network 52 may be used.

15 Figure 2 shows several input systems for mobile telephones. Four-direction and
16 action button 210 allows for interaction with a user interface, such as navigating between
17 and/or executing various user interface input controls that will be described with reference to
18 Figures 3A-3D. A user may enter numbers and text with keypad 220. However, as
19 suggested above, text entry through a numeric keypad may be a cumbersome task. Audio
20 input 230 is the mobile telephone's mouthpiece.

21 The present invention is described in the context of composing the reply to an
22 electronic mail message, as illustrated in Figures 3A-3D. It should be noted that the present
23 invention is not limited to any particular type of electronic message. Electronic mail is
24 simply a familiar type of electronic message that helps to clarify the principles of the present

1 invention. Furthermore, for electronic mail messages, the present invention may be used in
2 composing a new message, in replying to or forwarding a received message, etc.

3 Turning first then to Figure 3A, title 312 indicates the user is composing a reply
4 message. Recipients 322 identifies those who will receive the electronic message, and
5 subject 324 briefly describes the message's topic or content. Within the body of the reply
6 message, reply text 352 identifies text added as part of the reply and received message text
7 354 identifies text from the message to which the reply is directed. Message text 354 often
8 is indented to set it off from reply text 352. Send 372 sends the reply as composed, and a
9 user may access additional message options through menu 374. Those of skill in the art will
10 recognize that composing a reply requires minimal if any text entry. All information, with
11 the exception of reply text 352 may be generated from the received message. If the user
12 adds audio data to the reply, however, reply text 352 may be completely unnecessary.

13 Selecting menu 374 presents the user with menu items 380, as shown in Figure 3B.
14 Menu 374 is highlighted upon selection to provide the user with visual feedback that menu
15 items 380 corresponds to the activation of menu 374. Add To: 381 allows the user to
16 identify additional recipients 322 for the reply. The user adds reply text 352 by selecting
17 Insert Text 382. Insert Voice 383 will be described below with reference to Figure 3C.
18 Message Options 384 provides, for message specific customizations, including message
19 delivery options, such as message delivery and expiration times, tracking options, such a
20 delivery and read receipts, and message settings, such as sensitivity and importance. To
21 send the reply at a future time, the user selects Postpone Message 385. In contrast, selecting
22 Send Message 386 sends the message immediately. The user may terminate composing the
23 reply message by selecting Cancel Compose 387.
24

1 The selection of Insert Voice 383 from menu items 380 allows for the addition of
2 audio content to the reply message, as shown in Figure 3C. After selecting Insert Voice 383
3 (Figure 3B), the audio content stream received at the mobile telephone's mouthpiece 230
4 (Figure 2) is diverted to temporary storage. The temporary storage for the recording
5 illustrated in Figure 3C is a temporary file. "Recording" in title 314 indicates to a user that
6 the screen is for recording audio content. A progress indicator 362 shows the amount of
7 audio content stored in relation to a maximum amount that may be stored. The present
8 invention does not necessarily limit the amount of audio content that may be stored and
9 attached to an electronic message. However, mobile devices generally have some limitation
10 on the amount of available storage and communication bandwidth. As a result, practical
11 considerations may dictate that audio content be limited in duration. Selecting Stop 376
12 ends storage of the audio content stream and adds the temporary file to the reply message.
13 As an alternative to selecting Insert Voice 383 from menu items 380 (Figure 3B), a record
14 button on a mobile telephone also may provide a command to add audio content to the reply
15 message. Depending on the implementation, either releasing the record button or pressing
16 the record button a second time has an effect similar to selecting Stop 376.

17 Figure 3D depicts a reply message with attach audio content. Figure 3D is similar to
18 Figure 3A, including recipients 322, subject 324, reply text 352, message text 354, Send 372
19 and Menu 374, with the addition of indicator 326 showing that the reply includes a voice
20 recording of 15 kilobytes. Storage of audio content generally requires significantly more
21 memory than the storage of text. Therefore, file formats for audio content usually
22 implement some form of data compression to balance an appropriate level of audio quality
23 with reasonable storage space. The WAV file format represents one implementation of this
24 balancing. Because the WAV file format is frequently used in many computers it may be

1 selected as a default. For electronic mail messages, the audio content may be included as a
2 Multipurpose Internet Mail Extensions ("MIME") attachment. MIME supports a number of
3 predefined file types and provides a standard mechanism for defining others. The present
4 invention, however, does not necessarily require any particular file format, compression
5 technology, or standard for adding audio content to a message.

6 Figure 4 illustrates an exemplary method for using a mobile device, such as a
7 wireless telephone or PDA, to compose an electronic message that includes audio content.
8 A step for initiating (410) the creation of an electronic message may include an act of
9 receiving (412) a specific electronic message. For example, the electronic message being
10 created may be a reply to an electronic message received earlier. The act of receiving a
11 command to begin composing (414) the electronic message and the act of receiving a
12 command to add audio content (416) to an electronic message may also be included within
13 the step for initiating (410) creation of the electronic message. Commands may be received
14 from selection of a user interface menu item as illustrated in Figures 3B and 3C, from a
15 record button, etc.

16 A step for capturing (420) audio content from an audio content stream may begin
17 with the act of diverting (422) the audio content stream being received at an audio input,
18 such as wireless telephone mouthpiece 230 (Figure 2), to a temporary storage. The
19 temporary storage may include a temporary file stored in volatile memory, such as RAM, or
20 stored in non-volatile memory, such as optical and/or magnetic media. An act of displaying
21 (424) a progress indicator may accompany the act of storing (426) the audio content stream
22 in temporary storage. The progress indicator shows the current amount of storage used in
23 storing the audio content stream compared to a predetermined maximum amount of storage
24 that may be added to a single message, although other types of progress indicators are not

1 excluded by the present invention. The acts of displaying (424) a progress indicator and
2 storing (426) the audio content stream may be included in the step for capturing (420) audio
3 content.

4 The step for adding (430) audio content to an electronic message may include the
5 following acts. An act of formatting (432) the audio content is based how the audio content
6 will be added to the electronic message. For example, audio content added as an attachment
7 to an electronic mail message is formatted according to the file type of the attachment. In
8 many circumstances, a WAV file format may be selected because it is a format recognize by
9 many computing systems. An act of compressing (434) the audio content may accompany
10 the act of formatting (432), consistent with a particular file format, or may represent an
11 entirely distinct operation. An act of attaching (436) the audio content to the electronic
12 message is based on the facilities allowed by a particular electronic message. For electronic
13 email messages, the audio content may be included as a MIME attachment. The acts of
14 displaying an attached audio content indicator (438) and displaying audio content size (442)
15 provide the user some feedback that audio content has been added to the electronic message
16 as desired.

17 The present invention may be embodied in other specific forms without departing
18 from its spirit or essential characteristics. The described embodiments are to be considered
19 in all respects only as illustrative and not restrictive. The scope of the invention is,
20 therefore, indicated by the appended claims rather than by the foregoing description. All
21 changes which come within the meaning and range of equivalency of the claims are to be
22 embraced within their scope.

23 What is claimed and desired to be secured by United States Letters Patent is:
24